

## **HP LaserJet Enterprise MFP M725dn**

Brand : HP Product family: LaserJet Product code: CF066A

Enterprise

**Product name :** LaserJet Enterprise MFP M725dn

- 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing

- Print, copy, scan
- Up to 40 ppm (black)
- Up to 1200 x 1200 dpi

LaserJet Enterprise MFP M725dn

## HP LaserJet Enterprise MFP M725dn:

**Print high-quality documents on an array of paper sizes up to A3, launch one-touch workflows, and manage jobs on the desktop with touchscreen ease.** Enable large-volume printing on a wide range of paper sizes – up to A3 – with a 4,600-sheet maximum input capacity. Preview and edit scanning jobs; centrally manage printing policies; safeguard sensitive business information.

HP LaserJet Enterprise MFP M725dn. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Duplex functions: Print, Copy, Scan. Maximum ISO A-series paper size: A3. Direct printing. Product colour: Black, Grey











Printing		Performance	
Duplex printing mode	Auto	Processor frequency	800 MHz
Print resolution black	1200 x 1200 DPI	Sound pressure level (printing)	54 dB
Print technology *	Laser	Sound pressure level (scanning)	52 dB
Printing *	Mono printing	Sound power level (printing)	6.8 dB
Duplex printing *	1	Design	
Maximum resolution *	1200 x 1200 DPI	Product colour *	Black, Grey
Print speed (black, normal quality, A4/US Letter) *	41 ppm	Market positioning *	Business
Print speed (black, normal quality, A3)	20 ppm	Built-in display * Display	<b>✓</b> LCD
Duplex print speed (ISO/IEC 24734) mono	28 ipm	Display diagonal Control type	20.3 cm (8") Touch
Time to first page (black, normal)	10 s	Colour display	<b>✓</b>
Print margins (top, bottom, right, left)	2 mm	Power	•
Economical printing	✓	Power consumption (average	890 W
Secure printing	✓	operating)	
Copying		Power consumption (PowerSave)	39 W
Duplex copying *	1	Power consumption (printing)	890 W
Copying *	Mono copying	Power consumption (copying)	890 W
Maximum copy resolution *	600 x 600 DPI	Power consumption (ready)	39 W 6.5 W
Copy speed (black, normal quality,	41 cpm	Power consumption (standby) Power consumption (sleep)	6.5 W
A4)		Power consumption (off)	0.3 W
Maximum number of copies Copier resize	9999 copies 25 - 400%	Energy Star Typical Electricity Consumption (TEC)	0.653 kWh/week
Auto fit function	✓	AC input voltage	110 - 240 V
Scanning		AC input frequency	50/60 Hz
Duplex scanning *	✓		

Scanning		Brand-specific features	
Scanning * Optical scanning resolution * Maximum scan area Scanner type * Scan technology	Colour scanning 600 x 600 DPI 297 x 420 mm Flatbed & ADF scanner CCD	HP Auto-On/Auto-Off  HP GTIN (EAN/UPC) with options	(ABT) 887111016812; (ABY) 887111016829; (ACQ) 887111016836; (B13) 888182819586; (B19) 887111016843; (BAZ) 887111016850
Scan to Scan speed (colour) Scan speed (black) Image formats supported	E-mail, Network folder, USB, Fax 30 ppm 50 ppm JPEG, MTIFF, TIFF	HP GTIN (EAN/UPC)	887111016812, 887111016829, 887111016836, 888182819586, 887111016843, 887111016850
Document formats supported	PDF, XPS	System requirements	
Input colour depth Greyscale levels	24 bit 256	Windows operating systems supported	Windows 10, Windows Vista, Windows 7, Windows XP, Windows 8 Mac OS X 10.7 Lion, Mac OS X 10.8
Features		Mac operating systems supported	Mountain Lion, Mac OS X 10.6 Snow
Recommended duty cycle	5000 - 20000 pages per month	Linux anarating systems symposted	Leopard
Maximum duty cycle *	200000 pages per month	Linux operating systems supported	✓ Windows Server 2012, Windows
Duplex functions *	Print, Copy, Scan	Server operating systems supported	Server 2003, Windows Server 2008
Digital sender	<b>√</b>	Other operating systems supported	Linux, Novell
Number of print cartridges * Printing colours *	1 Black	Operational conditions	
Page description languages	PCL 5, PCL 6, PDF 1.4, PostScript 3	Operating relative humidity (H-H)	20 - 80%
	PostScript, Scalable, TrueType,	Recommended humidity operating	30 - 70%
Printer fonts	Windows	range	
Number of printer fonts	105	Operating temperature (T-T)	10 - 32.5 °C
All-In-One-multitasking	<b>√</b>	Certificates	
Optional functions Country of origin Replacement cartridges HP segment	Fax China, Mexico, Netherlands HP 14A Black LJ Toner Cartridge CF214A (~10,000 pages); HP 14X Black LJ Toner Cartridge CF214X (~17,500 pages) Business	Certification	CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:1998+A1+A2; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC
Input & output capacity			approvals as required by individual
Total number of input trays *	3		countries
Total input capacity *	600 sheets	Sustainability	
Total output capacity *	250 sheets	Sustainability compliance	✓
Paper tray 1 input capacity	100 sheets	Sustainability certificates	ENERGY STAR, EPEAT Silver
Paper tray 2 input capacity	250 sheets	Sustainable technologies and materials	Mercury Free
Multi-Purpose tray	✓	Doesn't contain	Mercury
Multi-Purpose tray input capacity	100 sheets		ricicary
Paper input type	Paper tray, Sheetfed	Carbon footprint	000
Auto document feeder (ADF) Auto document feeder (ADF) input	100 sheets	Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing	800 439
capacity		(kg of CO2e)	733
Maximum number of input trays  Maximum input capacity	6 4600 sheets	Carbon emissions, logistics (kg of CO2e)	22
Maximum output capacity	250 sheets	Total carbon emissions, w/o use phase (kg of CO2e)	328
Paper handling		Weight & dimensions	
Maximum ISO A-series paper size *	A3	Width	614 mm
Maximum print size	308 x 465.9 mm	Depth	649 mm
	Bond paper, Card stock, Envelopes, Labels, Letterhead, Plain paper,	Height	609 mm
Paper tray media types *	Recycled paper, Rough paper, Thick paper, Transparencies	Weight	54.1 kg
ISO A-series sizes (A0A9) *	A3, A4, A5	Packaging data	
ISO B-series sizes (B0B9)	B4, B5, B6	Package width	760 mm
JIS B-series sizes (B0B9)	B4, B5	Package depth	745 mm
Custom media width	76.2 - 312 mm	Package height	832 mm
Custom media length	127 - 469.9 mm	Package weight	68.6 kg
Paper tray media weight	60 - 199 g/m²	Packaging content	
Ports & interfaces		Cables included	AC
Standard interfaces	Ethernet, USB 2.0	Warranty card	✓

Ports & interfaces		Packaging content	
Direct printing * USB port USB 2.0 ports quantity Optional connectivity	√ √ 3 Wireless LAN	Quick installation guide Bundled software	Windows Installer, HP PCL 6 discrete driver, Mac SW Link to Web, [Postscript emulation driver & Installer on Web], Note: No Mac SW
Network			inbox
Wi-Fi *	×	Logistics data	
Ethernet LAN *	✓	Harmonized System (HS) code	84433100
Cabling technology	10/100/1000Base-T(X)	Pallet gross weight	68.6 g
Ethernet LAN data rates	10,100,1000 Mbit/s	Technical details  General Product Safety Regulation https://support.hp.com/qb-en/product/sets	up-user-guides/hp-laserjet-enterprise-mfp-m725-series/model/5197861?sku=CF066A l/c03381951.ndf
Security algorithms	EAP-TLS, IPSec, PEAP, SNMPv3, SSL/TLS, WPA2-Enterprise	(GPSR) URL ; https://h110032.www1.fip.com/ctg/Manua  Other features	√(c03381951.pdf
Supported network protocols (IPv4)	AutoIP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print	Number of users Pallet dimensions (W x D x H)	30 user(s) 760 x 745 x 832 mm
Supported network protocols (IPv6)	DHCPv6, MLDv1, ICMPv6	Printer management	HP Web Jetadmin, HP Utility (Mac)
Security features	AES 256-bit		Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP
Mobile printing technologies	Apple AirPrint, HP ePrint, Mopria Print Service		(SP2+), Windows Server 2003 (SP1+), Windows Server 2008,
Performance		Recommended system	Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB
Maximum internal memory Memory slots Internal storage capacity	1536 MB 1 500 GB	requirements	available hard disk space; operating system compatible hardware system requirements, see http://www.micr
Internal memory *	1024 MB	Acoustic power emissions (ready)	50 dB
Built-in processor	✓	Acoustic pressure emissions bystander (ready)	36 dB
		All-in-one functions	Copy, Print, Scan
		Colour all-in-one functions	×










































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.