



HP 953XL High Yield Yellow Original Ink Cartridge

Brand : HP

Product code: F6U18AE

Product name : 953XL High Yield Yellow Original Ink Cartridge

953XL High Yield Yellow Original Ink Cartridge

HP 953XL High Yield Yellow Original Ink Cartridge:

Ideal for large workgroups who need dependable performance for affordable, professional-quality printing, page after page.

Print high-quality documents with Original HP ink cartridges – designed with the printer for excellent worry-free performance.

HP 953XL High Yield Yellow Original Ink Cartridge. Colour ink type: Pigment-based ink, Cartridge capacity: High (XL) Yield, Colour ink page yield: 1450 pages, Colour ink volume: 18 ml, Printing colours: Yellow, Quantity per pack: 1 pc(s)




Features		Packaging data	
Colour ink type	Pigment-based ink	Package width	114 mm
Print technology	Inkjet printing	Package depth	126 mm
Compatibility *	HP 953 ink cartridges work with: HP OfficeJet Pro 7720, 7730, 7740, 8210, 8730	Package height	25 mm
		Package weight	63 g
Quantity per pack *	1 pc(s)	Brand-specific features	
Colour ink cartridges quantity	1	HP GTIN (EAN/UPC) with options	(301) 725184104176; (BGX) 725184104152; (BGY) 725184104169
Colour ink volume	18 ml		725184104176, 725184104152, 725184104169
Colour ink page yield *	1450 pages	Technical details	
Type *	Original	Box contents	1 Cartridge
Cartridge capacity	High (XL) Yield	Logistics data	
Ink type	Pigment-based ink	Pallet dimensions (W x D x H)	800 x 1200 x 924 mm
Printing colours *	Yellow	Products per pallet	3000 pc(s)
Brand compatibility *	HP	Master (outer) cases per pallet	60 pc(s)
OEM code	F6U18AE	Layers per pallet	5 pc(s)
Country of origin	China, Malaysia, Singapore	Master (outer) cases per pallet layer	12 pc(s)
HP segment	Business, Enterprise	Pallet gross weight	221 g
Operational conditions		Products per master (outer) case	50 pc(s)
Operating relative humidity (H-H)	10 - 90%	Master (outer) case gross weight	3.35 g
Storage temperature (T-T)	-40 - 60 °C	Pallet net height	80 cm
Operating temperature (T-T)	5 - 35 °C	Pallet net length	120 cm
Storage relative humidity (H-H)	10 - 90%	Pallet net width	92.4 cm
Weight & dimensions		Pallet net weight	221 kg
Width	114 mm	Harmonized System (HS) code	84439990
Depth	126 mm		
Height	25 mm		
Weight	49 g		



0725184104176




725184104176




0725184104169



725184104169



0889894544735



889894544735



0193015225893



193015225893



0193015225909



193015225909



0193015272873



193015272873



0725184104152



725184104152



0193808162893



193808162893



0193808162909



193808162909



0193808162916



193808162916



0193808162923




193808162923



0193808162930



193808162930



0193808162947



193808162947



0193808162954




193808162954




0193808162961




193808162961



0193808162978



193808162978



0193808162985



193808162985



0193808162992



193808162992



0193808163005



193808163005



0193808163012




193808163012




0193808163029



193808163029



0193808163036




193808163036



0193808163043



193808163043



0193808163050



193808163050



0193808163067



193808163067



0193808163074




193808163074




0193808163081




193808163081



0193808163098



193808163098



0193808162879



193808162879



0193808162886




193808162886



0193808163128



193808163128



0193808163135



193808163135




0193808163142



193808163142



0193808163159




193808163159



0193808163166




193808163166



0193808163173




193808163173



0193808163180




193808163180



0193808163197




193808163197



0193808163203




193808163203



0193808163104



193808163104



0193808163111



193808163111



4058154090022

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linked to this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.