



P-Series Phone System

Go boundless with easy-first unified communications

Easy to Use

Easy to Manage

Easy to Integrate

Easy to Adopt

Easy to Grow



Modern communications powering business productivity


Focusing on delivering "Easy-first Unified Communications", Yeostar P-Series Phone System offers companies of all sizes with a complete package for calls, video, messaging and integrations, out of the box.

With inbuilt visual call management, integrated video conferencing, advanced contact center features, and ready-made SMS, WhatsApp, Microsoft Teams, CRMs, and more platform integrations, P-Series boosts productivity at all levels and provides everything across desktop, mobile, and browser with simple user apps.

Available in the Appliance, Software, and Cloud Edition, P-Series provides flexible deployment options, allowing you to have it sited on-premises or in the cloud. Balancing costs and future growth, it requires a lower total cost of ownership, less training, and fewer management efforts. The ease of use and future-proof adaptability is paramount.



- **More in One System:** Unify PBX, call center, live chat, omnichannel messaging, video meeting, and 3rd-party integrations in one simple solution.
- **Flexible Deployment Options:** In the cloud, on premise or hybrid with minimal setup hassle.
- **Leading Interoperability:** Support auto-provisioning 300+ popular phone models and SIP trunks from 130+ ITSPs worldwide.
- **Easy Administration:** Panel-based administration, granular permissions, advanced reporting, and more that make things straightforward.
- **Peace of Mind:** Highly reliable and secure, P-Series reduces security threats, toll fraud, and downtime through a hardened architecture and multi-layer security.



Feature Plans

Basic Telephony	Standard	Enterprise	Ultimate
Call Routing	•	•	•
Call Forwarding	•	•	•
Call Parking / Pickup	•	•	•
Call Transfer (Attended/Blind)	•	•	•
Call Waiting	•	•	•
Call Flip/Switch	•	•	•
Call Recording ¹	•	•	•
Ring Group	•	•	•
Paging & Intercom	•	•	•
Caller ID	•	•	•
Dial by Name	•	•	•
Speed Dial	•	•	•
AutoCLIP	•	•	•
CID/DID-based Call Routing	•	•	•
Direct Inward/Outward Dialing	•	•	•
DNIS	•	•	•
DND (Do Not Disturb)	•	•	•
Custom Prompts	•	•	•
Distinctive Ringtone	•	•	•
Music on Hold	•	•	•
MOH Playlist & Streaming	•	•	•
CDR & Basic Call Reports	•	•	•
Business			
Call Operator Panel	•	•	•
Desk Phone Control (CTI)	•	•	•
Function Keys	•	•	•
Feature Code	•	•	•
BLF Support	•	•	•
Busy Camp-on	•	•	•
Business Hours & Holidays	•	•	•
Boss-Secretary	•	•	•
Hot Desking	•	•	•
Emergency Calling	•	•	•
LDAP Server	•	•	•
TAPI Driver	•	•	•
Call Accounting		•	•

Unified Communications	Standard	Enterprise	Ultimate
Linkus UC Clients	•	•	•
- Web Client	•	•	•
- Mobile: iOS & Android	•	•	•
- Desktop: Windows & MacOS	•	•	•
- Google Chrome Extension	•	•	•
Presence & Custom Messages	•	•	•
Team Chat & File Sharing	•	•	•
Audio Conferencing	•	•	•
T.38 Fax	•	•	•
Fax to Email	•	•	•
Voicemail	•	•	•
Voicemail to Email	•	•	•
Voicemail Transcription ²	•	•	•
Group Voicemail	•	•	•
Personal & Company Contacts	•	•	•
Call Pop-up URL	•	•	•
Voicemail Announcement		•	•
Phonebooks		•	•
Video Calls & Conferencing			•
Door Phone Video Preview			•
Integration			
Open APIs ³	•	•	•
CRM & Helpdesk Integration Zoho CRM, Salesforce, HubSpot, Bitrix 24, Odoo, Zoho Desk, Zendesk		•	•
Messaging Channel SMS, WhatsApp, Facebook		•	•
Microsoft 365 Integration Teams, Outlook, Azure AD (Entra ID)		•	•
File Remote Archiving ⁴ Google Storage, Amazon S3, FTP, SFTP		•	•
Database Contacts Sync Microsoft SQL		•	•
Active Directory Integration			•
Linkus SDKs			•
Hotel PMS Integration ⁵	Optional	Optional	Optional

Advanced Business	Standard	Enterprise	Ultimate
Remote Access Service (FQDN) ⁶	●	●	●
Remote SIP Service (WebRTC Trunk & Effortless Offsite SIP) ⁷		●	●
Call Center			
IVR	●	●	●
Call Queue	●	●	●
Listen/Whisper/Barge Monitoring	●	●	●
Priority Queue & Acceleration	●	●	●
Queue Announcement	●	●	●
Queue Call Logs	●	●	●
Missed Call Disposition	●	●	●
Queue Callback		●	●
Skill-based Routing		●	●
Queue Panel		●	●
Wallboard		●	●
SLA Monitoring & Alerts		●	●
Post Call Survey		●	●
Call Center Reports		●	●
CRM & Helpdesk Integration		●	●
Live Chat & Messaging			
Live Chat (Chat & Call)		●	●
WhatsApp Integration		●	●
Facebook Integration		●	●
SMS & MMS Integration		●	●
Central Inbox & Message Queue		●	●
External Call Logs		●	●

Administration	Standard	Enterprise	Ultimate
Web Admin Portal	●	●	●
Real-time Dashboard	●	●	●
Extension Group & Organization	●	●	●
User Role & Permission	●	●	●
IP Phone Auto Provisioning	●	●	●
Headset Integration	●	●	●
SIP Forking	●	●	●
PIN List	●	●	●
Event Logs & Notificatoins	●	●	●
Troubleshooting	●	●	●
Backup and Restore	●	●	●
Built-in SMTP Server	●	●	●
AMI (Asterisk Manager Interface)	●	●	●
Network Drive	●	●	●
SNMP Support	●	●	●
Hot Standby ⁸	Optional	Optional	Optional
Disaster Recovery ⁹			Optional
Security			
SRTP & TLS Call Encryption	●	●	●
Auto & Static Defense	●	●	●
Global Anti-hacking IP Blocklist	●	●	●
Allowed Country IP's & Codes	●	●	●
Call Allow/Block List	●	●	●
Outbound Call Frequency Restriction	●	●	●
Password Policy Enforcement	●	●	●
Two-factor Authentication (2FA)	●	●	●

Plan and Deployment Mode

	Standard Plan	Enterprise Plan	Ultimate Plan
Deployment Mode	Appliance	Appliance, Software, Cloud	Appliance, Software, Cloud

Note: The P-Series Appliance comes pre-installed with all features in Standard Plan except for the Team Chat and the Remote Access Service feature. The Standard Plan is only available for P-Series Appliance Edition.

- 1 Call Recording** is free on Appliance and Software Edition. The Cloud Edition includes 500 free recording minutes per PBX instance and more can be purchased additionally if needed.
- 2 Voicemail Transcription:** Requires integration with Google Cloud Speech-to-Text Service.
- 3 API:** Not support by P520.
- 4 File Remote Archiving:** Requires Ultimate Plan for Cloud Edition; Requires Enterprise Plan for Appliance and Software Edition.
- 5 Hotel PMS Integration:** Only supported by Appliance Edition (Except P520) and Software Edition.
- 6 Remote SIP/Access Service:** The Cloud Edition is inherently accessible from anywhere and doesn't need the feature.
- 7 Remote SIP Service:** Eliminates the need for port forwarding to register remote SIP endpoints (phones, branch office PBXs, VoIP gateways) to the PBX.
- 8 Hot Standby:** Only supported by the Appliance and Software Edition. Requires an additional PBX redundancy server to function.
- 9 Disaster Recovery:** Only supported by the Software Edition. Requires an additional PBX redundancy server to function.

Appliance Edition

General Specifications



Appliances	P520	P550	P560	P570
Base Users / Max Users	20	50	100 / 200	300 / 500
Max Concurrent Calls	10	25	30 / 60	60 / 120
Base / Max Call Center Agents	20	50	100 / 200	300 / 500
Max FXS Ports	4	8	8	16
Max FXO/BRI Ports	4	8	8	16
Max GSM/3G/4G Ports	1	4	4	6
Max E1/T1/J1 Ports	-	-	1	2
Expandable D30	-	0	1	2
NFC Read/Write	No	Yes	Yes	Yes
Ethernet Interfaces	2 x 10/100 Mbps	2 x (10/100/1000 Mbps)		
Hard Disk	-	No	1 SATA (Up to 2TB)	
USB	-	1 (USB Portable SSD, Up to 2TB) (USB Flash Drive, Up to 256)		
Power Supply	DC 12V 1A	AC 100-240V 50/60HZ 0.6A max	AC 100-240V 50/60HZ 1.5A max	
Size (L x W x H) (cm)	16 x 16 x 3	34 x 21 x 4.4	44 x 25.2 x 4.4	44 x 25.2 x 4.4
Weight	0.3 KG	1.64 KG	2.37 KG	2.38 KG
Form Factor	Desktop & Wall-mount	1U Rackmount		
Environment	Operation Range: 0°C to 40°C, 32°F to 104°F Storage Range: -20°C to 65°C, -4°F to 149°F Humidity: 10-90% non-condensing			

* The availability of the P520 PBX model is subject to regional sales policy.