

UniFi - Cloud Gateway Max

SKU: UB-UCG-MAX



The Ubiquiti UCG-Max is a compact 2.5G Cloud Gateway with 30+ UniFi devices / 300+ client support, 1.5 Gbps IPS routing, and selectable NVR storage.

UniFi - Cloud Gateway Max

SKU: UB-UCG-MAX

Mechanical

Dimensions	141.8 x 127.6 x 30 mm (5.6 x 5 x 1.2")
Weight	519 g (1.1 lb)
Enclosure material	Polycarbonate

Hardware

Processor	Quad-core ARM® Cortex®-A53 at 1.5 GHz
System memory	3 GB DDR4
On-board storage	512 GB NVMe SSD
Management interface	Ethernet Bluetooth

Networking interface	LAN: (4) 1/2.5 GbE RJ45 ports WAN: (1) 1/2.5 GbE RJ45 port
----------------------	---

IDS/IPS throughput	1.5 Gbps* *Measured with iPerf3 on a DHCP network. Performance may be reduced with PPPoE depending on ISP implementation.
--------------------	--

Power method	USB type C (5V DC/5A)
Supported voltage range	100–240V AC
Max. power consumption	16.1W
LCM display	0.96" status display
Button	Factory reset
Ambient operating temperature	-10 to 40° C (14 to 104° F)
Ambient operating humidity	5 to 95% noncondensing
Certifications	CE, FCC, IC

UniFi - Cloud Gateway Max

SKU: UB-UCG-MAX

Gateway Features

Performance

Redundant WAN with failover and load balancing
WiFi QoS with UniFi APs
Application, domain, and country-based QoS
Application and device type identification
Additional internet failover with LTE Backup
Internet quality and outage reporting

Next-generation security

Application-aware firewall rules
Signature-based IPS/IDS threat detection
Content, country, domain, and ad filtering
VLAN/subnet-based traffic segmentation
Full stateful firewall

Advanced networking

License-free SD-WAN
WireGuard, L2TP and OpenVPN server
OpenVPN client
OpenVPN and IPsec site-to-site VPN
One-click Teleport and Identity VPN
Policy-based WAN and VPN routing
DHCP relay
Customisable DHCP server
IGMP proxy
IPv6 ISP support

LEDs

Ethernet

Green: link/activity


Application Requirements

Mobile app

UniFi iOS™ and Android™: Version 10.17.2 and later

UniFi - Cloud Gateway Max

SKU: UB-UCG-MAX



*5V DC, 3A USB-C adapter included.